

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk

TOWN BOARD OF HEALTH
Town of Horicon
PO Box 90, Brant Lake, NY 12815
(518) 494-3647

NOTICE OF PUBLIC HEARING

Pursuant to Article V, Section E, of the Town of Horicon Sanitary Regulations, NOTICE IS HEREBY GIVEN, that the Horicon Town Board of Health will conduct a Public Hearing on Thursday, June 15, 2017 at 7:00 PM at the Horicon Community Center, 6604 State Rt. 8, Brant Lake, NY.

The Public Hearing is for a variance to continue to use the septic system at 8 Red Wing Rd, Adirondack, NY, Tax Map #20.10-1-10.11, which does not meet the minimum setback requirements of Article III, Section D of the Horicon Sanitary Regulations. The owner, represented by Thomas LaBombard, PE, proposes to replace the single-family residence and continue to use the existing septic system installed in 2007 which does not meet the necessary separation distance from the owner's well. The Eljen absorption trenches sit 86 feet from the well where 100 feet is required.

All documents pertinent to said application may be viewed by contacting the Horicon Zoning Office at 6604 State Rt. 8, Brant Lake, NY during regular business hours.

By Order of the Horicon Town Board of Health
Krista Wood, Town Clerk